









- [14] F. Vogel, "Modeling and Simulation of the Liquid Metal Pinch," Diploma Thesis, Department of Mathematics, Section Modeling, Simulation, Optimization, Friedrich-Alexander-Universität Erlangen-Nürnberg, 2008.
- [15] D. W. Lee, K.-P. Hwang, and S. X. Wang, "Design and fabrication of integrated solenoid inductors with magnetic cores," in Electronic Components and Technology Conference, 2008. ECTC 2008. 58th, 2008, pp. 701-705.
- [16] S. Seok, C. Nam, W. Choi, and K. Chun, "A high performance solenoid-type MEMS inductor," *J. Semicond. Tech. Sci.*, vol. 1, pp. 182-188, 2001.
- [17] W.-P. Shih, Z. Li, D. McCormick, N. Tien, and C. Hui, "Tunable solenoid microinductors utilizing permalloy electro-thermal vibromotors," in Micro Electro Mechanical Systems, 2004. 17th IEEE International Conference on.(MEMS), 2004, pp. 793-796.
- [18] N. Sarkar, D. Yan, E. Horne, H. Lu, M. Ellis, J. Lee, et al., "Microassembled tunable MEMS inductor," in Micro Electro Mechanical Systems, 2005. MEMS 2005. 18th IEEE International Conference on, 2005, pp. 183-186.